HEALTH APPRAISAL - BRIEF

| NAME: | | | | | DATE: | | | | |
|---|----------|---------|-------|----------|---|-----------|-------|----|------|
| CIPCLE the number which best describes the fragu | ioney e | of vour | cymi | ntoms | . If you do not know the answer to the question, lea | vo it ble | ank | | |
| | | | | | | ve ii bic | JIIK. | | |
| When you are finished, please add the number of | | | ch se | ction (| and enter the number on the lotal Points line. | | | | |
| The score for YES is the number inside the parenth | iesis(). | | | | | | | | |
| | | | | <u> </u> | | | | ٦ | |
| 0 = never or rarely 1 = twice a | week | or ies | s . | 2 = τr | nree to six times a week 3 = daily or several | times | a aay | | |
| PART I GASTROINTESTINA | ۱L | | | | | | | | |
| Section A HYPOACIDITY | | | | | Section D COLON | | | | |
| 1. Indigestion | 0 | 1 | 2 | 3 | 1. Lower abdominal pain, | | | | |
| 2. Belching, burping | 0 | 1 | 2 | 3 | cramping and/or spasms | 0 | 1 | 2 | 3 |
| 3. Gas immediately following a meal | 0 | 1 | 2 | 3 | 2. Lower abdominal pain, | | | | |
| 4. Sense of fullness during meals | 0 | 1 | 2 | 3 | relief by passing stool or gas | 0 | 1 | 2 | 3 |
| 5. Poor appetite, picky eater | 0 | 1 | 2 | 3 | 3. Raw fruits, vegetables and stress | | | | |
| 6. Difficult bowel movements | 0 | 1 | 2 | 3 | aggravate bowel pain | 0 | 1 | 2 | 3 |
| 7. Difficulty swallowing | 0 | 1 | 2 | 3 | 4. Diarrhoea (loose watery stool) | 0 | 1 | 2 | 3 |
| 8. History of anaemia, unresponsive to iron | Ν | | Υ | (10) | 5. More than three bowel movements daily | 0 | 1 | 2 | 3 |
| 9. Vegetarian (no eggs, dairy) | Ν | | | Y(5) | 6. Excessive gas and bloating | 0 | 1 | 2 | 3 |
| 10. Spoon shaped nails | Ν | | | Y(3) | 7. Painful, difficult, straining | | | | |
| 11. Unintentional weight loss | Ν | | | Y(3) | during bowel movements | 0 | 1 | 2 | 3 |
| 12. Partial loss of taste or smell | Ν | | | Y(3) | 8. Hard, dry or small stool | 0 | 1 | 2 | 3 |
| | | | | | 9. Extremely narrow stools | 0 | 1 | 2 | 3 |
| Total | Points | | | | 10. Alternating diarrhoea/constipation | 0 | 1 | 2 | 3 |
| | | | | | 11. Mucus, pus in stool | 0 | 1 | 2 | 3 |
| Section B SMALL INTESTINE/ PAN | ICRE/ | AS | | | 12. Feel bowels do not empty completely | 0 | 1 | 2 | 3 |
| Indigestion and fullness lasts | | | | | 13. Bright red blood following | | | | |
| 2 to 4 hours after eating | 0 | 1 | 2 | 3 | bowel movement | 0 | 1 | 2 | 3 |
| 2. Pain, tenderness, soreness | | | | | 14. Anal itching | 0 | 1 | 2 | 3 |
| on left side under rib cage | 0 | 1 | 2 | 3 | | | | | |
| 3. Bloated | 0 | 1 | 2 | 3 | lotal | l Points | | | |
| 4. Excessive passage of gas | 0 | 1 | 2 | 3 | | | | | |
| 5. Abdominal cramps, aches | 0 | 1 | 2 | 3 | | | | | |
| 6. Nausea and/or vomiting | 0 | 1 | 2 | 3 | PART II DETOX METABOLISM | | | | |
| 7. Specific foods/beverages aggravate | 0 | , | 0 | _ | C .: A INTER CALIBIADED | / DANI | CDE 4 | _ | |
| indigestion | 0 | 1 | 2 | 3 3 | Section A LIVER/ GALLBLADDER | / PAN | CREA | '2 | |
| 8. Roughage and fibre cause constipation9. Three or more large bowel | U | ı | 2 | 3 | Moderate to severe pain under inherita of the area. | 0 | 1 | 2 | 2 |
| movements daily | 0 | 1 | 2 | 3 | right side of ribcage 2. Abdominal pain worsens with | U | ı | 2 | 3 |
| 10. Alternating constipation and diarrhoea | 0 | 1 | 2 | 3 | deep breathing | 0 | 1 | 2 | 3 |
| 11. Undigested food in stool | 0 | 1 | 2 | 3 | 3. Regurgitate bitter fluid | 0 | 1 | 2 | 3 |
| 12. Mucus in stool | 0 | 1 | 2 | 3 | 4. Bloated, full feeling | 0 | 1 | 2 | 3 |
| 13. Dry, flaky skin; dry, brittle hair | N | ' | | Y(3) | 5. Belching, heartburn, gas | 0 | 1 | 2 | 3 |
| 14. Difficulty gaining weight | N | | | Y(3) | 6. Fatty foods cause indigestion | 0 | i | 2 | 3 |
| 11. Dillicony gaining weight | | | | (0) | 7. Nausea or vomiting | 0 | 1 | 2 | 3 |
| Total | Points | | | | 8. Feel restless, agitated, angry | Ö | i | 2 | 3 |
| | | | | _ | Unexplained itchy skin, worse at night | 0 | 1 | 2 | 3 |
| Section C HYPERACIDITY | | | | | 10. Stool colour alternates from | | | | |
| 1. Stomach pain, burning, aching, | | | | | clay colour to normal brown | 0 | 1 | 2 | 3 |
| 1 to 4 hours after eating | 0 | 1 | 2 | 3 | 11. Feeling of poor health | 0 | i | 2 | 3 |
| 2. Feeling hungry an hour or two | | | | | 12. Fatigue, weakness, exhaustion | 0 | 1 | 2 | 3 |
| after eating | 0 | 1 | 2 | 3 | 13. Unable to concentrate, irritable, confused | 0 | 1 | 2 | 3 |
| 3. Stomach discomfort, pain in response to | | | | | 14. Swollen feet and/or legs | 0 | 1 | 2 | 3 |
| strong emotions, thoughts, smell of food | 0 | 1 | 2 | 3 | 15. Easy bruising | 0 | 1 | 2 | 3 |
| 4. Heartburn, especially when | | | | | 16. Feeling of extreme dryness | 0 | 1 | 2 | 3 |
| lying down or bending forward | 0 | 1 | 2 | 3 | 17. Reddened skin, especially palms | 0 | 1 | 2 | 3 |
| Heartburn due to spicy and fatty foods, | | | | | 18. Dark urine, diminished flow | 0 | 1 | 2 | 3 |
| chocolate, peppers, citrus, alcohol, caffeine | 0 | 1 | 2 | 3 | 19. Dry, flaky skin, hair | Ν | | , | Y(3) |
| 6. Difficulty or pain when swallowing | 0 | 1 | 2 | 3 | 20. Yellowish cast to skin, eyes | Ν | | | Y(3) |
| 7. Chest pain or infections, difficulty breathing | 0 | 1 | 2 | 3 | | | | | |
| 8. Carbonated beverages, cream/milk/food | | | | | Total | l Points | | | |
| give temporary relief from symptoms | 0 | 1 | 2 | 3 | | | | | |
| 9. Constipation | 0 | 1 | 2 | 3 | | | | | |
| 10. Black, tarry stool | 0 | 1 | 2 | 3 | | | | | |

Total Points _____

| 17444 11 | (************************************** | | | | | | | | (001111110001) | | | | | |
|--|---|--------|---|---|--------|----|---------|---------------|--|-----------|--------|--------|---|--------|
| Section B | HYPOTHYROID | | | | | 5 | Section | on B | MUSCLE | | · | | | |
| 1. Fatigued, slu | | 0 | 1 | 2 | 3 | | | | d muscle aches and pair | | 0 | 1 | 2 | 3 |
| 2. Feel cold – h | | 0 | 1 | 2 | 3 | | | | nuscle stiffness, tension, | | 0 | 1 | 2 | 3 |
| | equent bowel movements | 0 | 1 | 2 | 3 | | | | dy points feel sore when | pressed | 0 | 1 | 2 | 3 |
| 4. Dryness of sk | | 0 | 1 | 2 | 3 | | 4. H | leadaches | | | 0 | 1 | 2 | 3 |
| 5. Thick, brittle | | 0 | 1 | 2 | 3 | | 5. F | atigued, tii | red, sluggish | | 0 | 1 | 2 | 3 |
| | of eyebrow thins | 0 | 1 | 2 | 3 | | | ifficulty sle | | | 0 | 1 | 2 | 3 |
| 7. Puffy face, ho | | 0 | 1 | 2 | 3 | | | | eshed upon waking | | 0 | 1 | 2 | 3 |
| 8. Swollen uppe | | 0 | 1 | 2 | 3 | | | | akness or loss | | 0 | 1 | 2 | 3 |
| 9. Eyeballs mov | | 0 | 1 | 2 | 3 | | | | eaking/swallowing | | 0 | 1 | 2 | 3 |
| | k, cramp and/or tremble | 0 | 1 | 2 | 3 3 | | | | mps or spasm | | 0 | 1 | 2 | 3 |
| 12. Slow heart be | processes, forgetfulness | 0 | 1 | 2 | 3 | | | | itch or tremble – | | | | | |
| 13. Loss of appe | | 0 | 1 | 2 | 3 | | | | mb, calf muscle | | 0 | 1 | 2 | 3 |
| 14. Abdominal s | | 0 | i | 2 | 3 | | | | ge to move legs | | 0 | 1 | 2 | 3 |
| 15. Unsteady ga | | 0 | i | 2 | 3 | | | | g during sleep | | 0 | 1 | 2 | 3 |
| 16. Lack of intere | | 0 | i | 2 | 3 | | | | tingling sensation | | 0 | 1 | 2 | 3 |
| 17. Premenstrual | | N | • | | Y(3) | | | | pint mobility | | 0 | 1 | 2 | 3 |
| 18. Infertility | | N | | | Y(3) | | | | ully straighten or extend | | | | | |
| 19. Heavy menst | rual bleeding | Ν | | | Y(3) | | | egs and/or | | | 0 | 1 | 2 | 3 |
| 20. Gain weight | | Ν | | | (10) | | 17. L | Ipper or lo | ower back pain | | 0 | 1 | 2 | 3 |
| 21. Swelling of th | | Ν | | | (10) | | | | | | | | | |
| 22. Thinning hair | | | | | | | | | | Total F | oints. | | | |
| and genitals | | Ν | | \ | Y(3) | | | | | | | | | |
| | | | | | | ١, | | | | | | | | |
| | Total | Points | | | | | Section | | CONNECTIVE T | ISSUE | | | | |
| PART III | IMMUNE FUNCTION | | | | | | | | ss, soreness | | 0 | 1 | 2 | 3 |
| | | | | | | | | | n, painful joints | | 0 | 1 | 2 | 3 |
| 1. Progressive, | _ | | | | | | | | ss improves with rest, | | ^ | , | 0 | _ |
| after exertion | | 0 | 1 | 2 | 3 | | | | th movement | | 0 | 1 | 2 | 3 |
| 2. General wea | | 0 | 1 | 2 | 3 | | | Cracking jo | | | 0 | 1 | 2 | 3 |
| _ | n, dizzy when rising | 0 | 1 | 2 | 3 | | | | iching, tingling pain | | ^ | 1 | 0 | 2 |
| 4. Depression | | 0 | 1 | 2 | 3 | | | own the b | | | 0 | 1 | 2 | 3 3 |
| 5. Rapid mood | | 0 | 1 | 2 | 3 | | | | nvolves one or a few joi | nts | 0 | ı | 2 | 3 |
| 6. Irritable, nen | | 0 | 1 | 2 | 3 3 | | | | when moving or | | 0 | 1 | 0 | 2 |
| 7. Dark circles 8. Disinterest in | • | 0 | 1 | 2 | 3 | | | hen carryi | | | 0 | 1 | 2 | 3 3 |
| 9. Abdominal p | | 0 | 1 | 2 | 3 | | | | ge of motion | tat | 0 | 1 1 | 2 | 3 |
| 10. Indigestion | odiii | 0 | 1 | 2 | 3 | | | | anding up from seated p ss worsens with rest, | osition | 0 | - 1 | 2 | 3 |
| 11. Blotchy skin | (white patches) | 0 | 1 | 2 | 3 | | | | , | | 0 | 1 | 0 | 2 |
| 12. Tan skin, no | | 0 | i | 2 | 3 | | | | ith movement | | 0 | 1 | 2 | 3 |
| | s on upper forehead, | 0 | | _ | 0 | | | leadache | newing food or opening | ماندروم | 0 | 1 | 2 | 3 3 |
| face, neck | o on opportoronoga, | 0 | 1 | 2 | 3 | | | | | | U | 1 | 2 | 3 |
| 14. Craving for s | salty food | 0 | 1 | 2 | 3 | | | | prickling, tingling sensc , shoulder and arms | IIIOII | 0 | 1 | 2 | 3 |
| 15. Gradual loss | | Ν | | | Y(3) | | | | muscle spasms | | 0 | 1 | 2 | 3 |
| | ninor changes in weather | | | | ` ' | | | | movement with hands is | difficult | 0 | 1 | 2 | 3 |
| and surround | dings | Ν | | ` | Y(5) | | | | n, sprain, easily | unncon | 0 | i | 2 | 3 |
| | | | | | | | | | or pain in neck, should | ar or arm | 0 | 1 | 2 | 3 |
| | Total | Points | | | | | | | ergrowths on the joints | or diffi | 0 | ' | _ | O |
| PART IV | MUSCULOSKELETAL | | | | | | | | ne fingertips | | Ν | | , | Y(5) |
| | | | | | | 4 | | ouble join | | | N | | | Y(5) |
| Section A | BONE INTEGRITY | | _ | | | | | | orter than the other | | Ν | | | Y(5) |
| | bone tenderness and achiness | 0 | 1 | 2 | 3 | | | 3 | | | | | | () |
| 2. Localised bo | | 0 | 1 | 2 | 3 | | | | | Total F | oints | | | |
| | ity or swelling | 0 | 1 | 2 | 3 | | | | | | | | | |
| | ring or after exercise | 0 | 1 | 2 | 3 | | | | | | | | | |
| Low back or Walking difficult | | 0 | 1 | 2 | 3 3 | | | | | | | | | |
| | r creaking sounds | U | ' | | 3 | | | | | | | | | |
| when moving | | 0 | 1 | 2 | 3 | | | | | | | | | |
| | throat spasm or feel numb | 0 | i | 2 | 3 | | | | | | | | | |
| 9. Joint pain an | | 0 | | _ | 0 | | | | | | | | | |
| | ine, hips, knees | 0 | 1 | 2 | 3 | | | | | | | | | |
| | , headaches, ringing in ears | 0 | i | 2 | 3 | | | | | | | | | |
| 11. Established b | | N | • | | (10) | | | | | | | | | |
| 12. Calcium dep | | Ν | | | Y(5) | | | | | | | | | |
| 13. Spinal curvat | | Ν | | | (10) | | | | | | | | | |
| 14. Recent loss of | | Ν | | | (10) | | | | | | | | | |
| 15. Bow legs | ~ | Ν | | | Y(5) | | | | | | | | | |
| 16. Stooped pos | ture | Ν | | | Y(5) | | | | | | | | | |
| 17. Hump at bas | | Ν | | | Y(5) | | | | | | | | | |
| 18. Unexplained | | Ν | | | (10) | | | | | | | | | |
| 19. Tooth loss, g | | Ν | | | Y(3) | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | Total | Points | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |

PART IV

(continued)

PART II

(continued)

| | | | Gastrointestinal | | | I De Metab | l tox polism | III Adrenal | IV Musculoskeletal | | | NAME: | |
|-----------|--|-------|------------------|---------------------------------|-----------------|------------------|-----------------------------------|----------------|-----------------------|-------------------|-----------|----------------------|--|
| | | 100— | A. Hypoacidity | B. Small Intestine/ Pancreas | C. Hyperacidity | D. Colon | A. Liver/ Gallbladder Pancreas | B. Hypothyroid | A. Immune function | A. Bone Integrity | B. Muscle | C. Connective Tissue | |
| | | 100— | 15+ | 15+ | 15+ | 15+ | 18+ | 30+ - | 20+ | 15+ | 15+ | 12+ | |
| 7 | <u>, </u> | | | | | | - | - - - | - 18 | _ | - | - | |
| | HIGH | | 13 | 13 | 13 | 13 | - | 25 - - | - | | - 12 | - | |
| 7 | Į – | | - | - | - | - | 15 | - | 16 | 13 | 12 | | |
| | | 75— | 11 | | 11 | 11 | - | - | 14 | | - | 9 | |
| | | | - | - | - | - | - | - | - | | 9 | - | |
| | | | 9 | - 12 | 9 | 9 | — 12 — | 20 | —12 — | <u> </u> | 7 | 7 | |
| 7 | MODERATE | | - | - | - | - | | - | - | - 9 | | - | |
| | DERA. | 50— | 7 | 7 | 7 | 7 | 6 | 15 | 9 | - 7 | - | 5 | |
| _ | ` | | - | - | - | - | 3 | - | - | - | - | - | |
| | | | 5 | -5 - | —4— - | —-5— - | 3 | —10— - | 6 - | 5 | 3 | 3 | |
| 7 N | 200 | 25— | 3 | 3 | 3 | 3 | 2 | 5 | - | 3 | 2 | 2 | |
| KIIY | WOJ | | - | - | - | - | 1 | - | 3 | - | | | |
| MET1936 - | | 0 — | 1 | 1 | 1 | 1 | | 1 | 1 | 1 | 1 | 1 | |
| 936 - | | SCORE | | | | | | | | | | | |

| NAME: | | Date: | |
|-------|------|-------|--|
| | NOTE | S | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

© 1995 Lyra Heller and Michael Katke Photocopying without permission is strictly prohibited by law. Violation of the copyright can result in legal action. Permission to reproduce any part of this questionnaire must be obtained from Metagenics, Inc.